
PIT JACK GD-2M


AIR HYDRAULIC TWIN RAM PIT JACK, WITH AN AUTOMATIC MECHANICAL SAFETY LOCK

Item number: GD-2M

- 2 individually controlled rams offer safe and balanced lifting
- Rapid and precise air hydraulic unit with high speed ram travel
- Simple modern design with control panel at ergonomical working height
- Transversely sliding rams
- Can be made to fit all pits due to its adjustable frame







Capacity:	10 / 15 / 20 t
Stroke:	420 mm
Min height:	560 mm
Max height:	980 mm
Depth:	650 mm
Cylinder diameter:	60 mm
Air supply:	8 - 10 bar
Weight:	220 kg

PIT JACK

ACCESSORIES GD-2M:

AB

Support bridge



Item number: 5867010

ABT

Telescopic support bridge



Item number: 5867500

T4-2

Cross beam adaptor



Item number: 5866600

T5-2

Flexible and adjustable cross beam adaptor



Item number: 5866800

T6-2


Innovative cross beam adaptor



Item number: 5866055

LB

Diff beam



Item number: 9114300

FLTR

Trolley



Item number: 5836700

FW2-90

V-saddle



Item number: 9112700

PIT JACK

ACCESSORIES GD-2M:

FW2-130

V-saddle



Item number: 9112710

US-100

U-saddle



Item number: 9113210

US-130

U-saddle



Item number: 9113240

FG100

Extension



Item number: 9114100

FG200


Extension



Item number: 9114200

VB1

Wall bracket



Item number: 5866340

VB2

Wall bracket



Item number: 5866380

GR

Handle



Item number: 5863400

PIT JACK

ACCESSORIES GD-2M:

HSD-F

Front air connection kit



Item number: 5863410

ISO VG5

Oil, RENOLIN DTA, 1L



Item number: 09.260.47